

FEATURE CHART

| FIERY XF FEATURE CHART | FIERY XF PRODUCTION | FIERY XF PROOFING |
|---|--|--|
| FOUNDATIONS | | |
| Cross-platform - incl. Mac OS X 10.11 and Windows® 10 | • | • |
| Scalable to all sizes of operations | • | • |
| Modular and configurable | • | • |
| Client / server architecture | • | • |
| User / administrator mode | • | • |
| Comprehensive cutting solutions | Requires Print & Cut / Cut Server / Cut Marks Option | Requires Print & Cut / Cut Server / Cut Marks Option |
| Intuitive user interface | • | • |
| 100% focus on industry standards | • | • |
| 100% color control (calibration, prediction, verification) | • | • |
| Continuous tone output | • | • |
| Halftone output (of one-bit files/screened contone files) | Requires OneBit / Dot Creator Option | Requires OneBit / Dot Creator Option |
| Simulation of final run characteristics | • | • |
| Comprehensive production tools | • | • |
| Integrated remote proofing / printing | • | • |
| JDF based bidirectional interaction with EFI MIS and Web2Print solutions | • | • |
| Multiple workflows / print queues | • | • |
| Pre-defined linearization & profile sets | • | • |
| Manual or fully automated job management | • | • |
| Comprehensive job management tools (job list, preview, ...) | • | • |
| EASE OF USE | | |
| New Media Catalogue User Interface | • | • |
| Enhanced online help with "related topics" | • | • |
| Enhanced Preset Visibility | • | • |
| File Import Progress Status | • | • |
| Simplified licensing and reload, setup and configuration | • | • |
| Customizable User Interface (workspaces) | • | • |
| User-specific and Admin Workspaces configuration | • | • |
| Context-sensitive help | • | • |
| Save/load workspace environments & preset | • | • |
| Flexible job ticket configuration | • | • |
| Intuitive one click spot color handling | • | • |
| Online updater | • | • |
| Backup and restore | • | • |
| Change of language in application - Windows only | • | • |
| Unidriver control RIP settings from design applications | • | • |
| Upload manager for profiles and color files | • | • |
| User definable input and output folders | • | • |
| PRODUCTIVITY | | |
| Real Time WYSIWIG Tiling | • | • |
| Enhanced Preview with margins and real job-info data in the page footer | • | • |
| Advanced speed settings | • | • |
| Process resolution control (to speed up printing) | • | • |
| Simultaneous job processing on multi processor PCs for non PDF and PS formats | • | • |
| Processing of up to four PDF/PS based files at the same time | • | • |
| Rip and Print on-the-fly | • | • |
| Simple server/printer balancing | • | • |
| Bi-directional printing (if supported by printer) | • | • |
| RIP-ing of selectable pages within a multi-page PDF Document | • | • |
| Quicker processing of ImageEPS and ImagePDF | • | • |
| Multithreaded Halftoning | • | • |

Key: - = Not available o = Optional • = Included o / • = New/enhanced in latest version

| PRODUCTION TOOLS | | |
|--|---|---|
| New Grommet marks implementation | • | • |
| Contact sheet | • | • |
| True shape nestings and cut path creation/editing | Requires Layout Option | Requires Layout Option |
| Enhanced automatic or manual nestings | o | o |
| Cut path creation and optimization | Requires Layout Option | Requires Layout Option |
| Advanced bleeding and pixel cloning | Requires Layout Option | Requires Layout Option |
| Intelligent placing of front/back pages, automatic and manual placing of I-Cut marks | Requires Layout Option | Requires Layout Option |
| Uniform page scaling | • | • |
| Enhanced automatic or manual Step & Repeat | • | • |
| Enhanced Tiling with automatic or custom overlapping | • | • |
| Color adjustments, step & repeat and tiling presets | • | • |
| Job merge for combining master and content jobs | • | • |
| White ink spread and choke | • | • |
| Rotating, scaling, mirroring, enhanced aligning | • | • |
| Enhanced cropping | • | • |
| Inverting | • | • |
| Grand / Wide Format printer support for selected printers from Agfa, DGI, HP Scitex, Inca, NUR, OCE | Requires Printer Option Wide Format / Printer Option Grand Format | Requires Printer Option Wide Format / Printer Option Grand Format |
| Font checker | • | • |
| Cropping of PDF according to selected PDF box | • | • |
| N-up Booklet | Requires Printer Option Oki | - |
| INTEGRATED TECHNOLOGIES AND STANDARDS | | |
| Support of CRPC, GRACoL and SWOP 2013 profiles and characterization data | o | • |
| Fogra PSD Print Checks | Requires Color Verifier Option | • |
| IDEAlliance ISO 12647-7 Control Wedge 2013 | o | • |
| Multi color profile support (up to 7 channels) | • | • |
| Device link profile support | • | • |
| Adobe PostScript 3 Engine (CPSI) | 3019 | 3019 |
| Multiple CPSI (up to 4) and APPE (up to 4) support | • | • |
| Adobe PDF Print Engine (APPE) | 3.1 | 3.1 |
| Multi-processor support | • | • |
| Color Editor with workflow and printer configuration-specific spot color handling incl. iterative optimization and gamut warning | • | • |
| Color Exchange Format (CXF) support | • | • |
| Enhanced spot color overprinting | • | • |
| Spot color libraries DIC, HKS, PANTONE, PANTONE PLUS and Toyo | • | • |
| PDF/X-1, PDF/X-1a, PDF/X-3, PDF/X-4, PDF/X-5 support | • | • |
| ISO 12647-8 compliant validation printing* | Requires Color Verifier Option | • |
| Ugra-Fogra MediaWedge 2.2/3.0 | • | • |
| G7 / SWOP / GRACoL compliant proofing* | Requires Color Verifier Option | • |
| ISO 12647-7 compliant contract proofing* | Requires Color Verifier Option | • |
| Support of latest ISO profiles and characterization data | • | • |
| IDEAlliance ISO 12647-7 2009 control strip** | • | • |
| Creation, processing and printing of remote jobs | • | • |
| Creation of custom standards for verification | Requires Color Verifier Option | • |
| ICC color management | • | • |
| COLOR HANDLING | | |
| Support for M0, M1 (D50) and M2 (UVcut) measurement modes (with selected devices) | • | • |
| Dynamic Wedge™ for key color analyzing (process colors, spot colors and their shades) | Requires Color Verifier Option | • |
| Dynamic Wedge™ color optimization (process colors, spot colors and their shades) | Requires Color Verifier Option | • |
| Dynamic Rendering Intent for best color reproduction in photographic environments | • | • |
| Intelligent Clean Color | • | • |
| Color adjustments (CMYK, RGB / Brightness, Contrast, Saturation, Blur / Sharpen) | • | • |

Key: - = Not available o = Optional • = Included o / • = New/enhanced in latest version

* Depending on configuration (printer, ink, substrate, software settings)

** IDEaCS 2013 New



| COLOR HANDLING (continued) | | |
|--|---|---|
| Image interpolation (scaling) | • | • |
| Gray conversion of colored files | • | • |
| Verification of spot colors | Requires Color Verifier Option | • |
| Support of White, Varnish and Metallic spot channels | • | • |
| Dynamic creation of White, Varnish and Metallic spot layers | • | • |
| Visual correction on input / output data (ink channels) | • | • |
| Definable color sequence for spot & process colors | • | • |
| Environmental Light Adaption for rendering with non D50 light sources (like TL84, D65 etc.) incl. custom light source definition | • | • |
| White point editing | Requires Color Profiler Option | Requires Color Profiler Option |
| Linearization tool | • | • |
| Re-linearization / re-ink-limiting | • | • |
| Color Tools (formerly Color Manager) with integrated Color Profiler Suite and new user-interface | Requires Color Profiler Option | Requires Color Profiler Option |
| Enhanced separation control and black point compensation | Requires Color Profiler Option | Requires Color Profiler Option |
| Enhanced profile editor and profile inspection/evaluation | Requires Color Profiler Option | Requires Color Profiler Option |
| Media and reference profile creation | Requires Color Profiler Option | Requires Color Profiler Option |
| Device link profile and multi color profile creation | Requires Color Profiler Option | Requires Color Profiler Option |
| RGB profile connector tool | • | • |
| Color optimization (improves matching of reference to printer) | • | • |
| Black point compensation | • | • |
| Integrated display profiling | Requires Color Profiler Option | Requires Color Profiler Option |
| Dynamic media profile usage within mixed color space PDFs to ensure maximum gamut usage | • | • |
| Monitor profile selection - softproof capabilities | • | • |
| Softproofing according to FograCert Softproof | Requires Softproof Option and Caddon can:view | Requires Softproof Option and Caddon can:view |
| Processing of RGB PS/EPS/PDF based file formats in RGB color space | • | • |
| Support for: Barbieri Spectro LFP, Pad and Swing, EFI ES-1000, ES-2000, ES-6000, EPSON SpectroProofer, SpectroProofer (ILS30). | • | • |
| Support for: Konica Minolta FD-5BT/FD-7, X-Rite SpectroScan, i1Pro, i1Pro2, i1O/i1O2, i1Sis. | • | • |
| XRGA Support for all Xrite and EFI measurement devices | • | • |
| JOB SUBMISSION | | |
| Hot folder, Virtual Printer, AppleTalk printer | • | • |
| Unidriver | • | • |
| Drag-and-drop / manual import | • | • |
| Manual import | • | • |
| Job submission through JDF | • | • |
| SUPPORTED INPUT FILE FORMATS | | |
| PS, EPS, DCS1, DCS2, PDF | • | • |
| PSD, TIFF, JPEG, JPEG2000, image PDF, image EPS, RAW | • | • |
| RTL | • | • |
| Delta Lists, Scitex CT/LW | • | • |
| RPF (Remote Proofing Format) | • | • |
| Tiff G4, Tiff G3, Packbit, LZW compressed Tiff, uncompressed Tiff, Presstek, Huffman, PCX, Len, Harlequin Pagebuffer, Founder, DCS1/DCS2 (Copy-dot format) | Requires OneBit Option | Requires OneBit Option |
| INTEGRATION | | |
| Copy count and print signal enhancement | • | • |
| Automatic job submission from Fiery XF to VUI | • | • |
| Bi-directional communication with EFI printers (track media and ink usage, wastage/spoilage of media and ink, printing and ripping time) | • | • |
| Transfer of print data along with job ticket to reduce errors | • | • |
| Advanced printer option control via Fiery XF | • | • |
| Media catalogue synchronization between EFI Web2Print, MIS and Fiery XF solutions | • | • |
| OUTPUT | | |
| Fiery Dynamic Smoothing | • | • |
| Support of inkjet and toner printers | • | • |
| RGB driver support | • | • |
| Support of Fiery-driven engines | Requires Fiery Option | Requires Fiery Option |
| Color managed file export (TIFF, PDF, RTL) | Requires File Export Option | Requires File Export Option |

Key: - = Not available o = Optional • = Included o / • = New/enhanced in latest version

| OUTPUT (continued) | | |
|---|---|---|
| TIFF CMYK export accord. ISO printing condition | Requires File Export Option | Requires File Export Option |
| Multi-printer support | Requires additional Printer Option | Requires additional Printer Option |
| Multi-file export support | • | • |
| Remote Proofing Container | • | • |
| Printing via network (TCP/IP, Bonjour), USB or system printer (Windows® only) | • (w/o bonjour) | • (w/o bonjour) |
| Label printing | Requires Color Verifier Option | Requires Color Verifier Option |
| Borderless printing for printer supporting this feature | • | • |
| Color / greyed separations | • | • |
| FINISHING | | |
| Support of Print & Cut devices | Requires Print & Cut Option | Requires Print & Cut Option |
| Cut Server - Cutting solution driving vinyl cutters and routing tables | Requires Cut Server Option | Requires Cut Server Option |
| i-CUT level 1 and 2 support | Requires Cut Marks Option | Requires Cut Marks Option |
| Zünd Cut Center support | Requires Cut Marks Option | Requires Cut Marks Option |
| Fotoba cut device support | • | • |
| Visualization and tracing of cut paths | • | • |
| SUPPORTED PRINTER MANUFACTURERS | | |
| EFI Rastek™ / EFI Wide Format / EFI VUTEk® <small>Agfa, Canon, DGI, Durst, Encad, EPSON, Fuji, Gandinnovations, Gandy, HP, Inca, Kodak, KPG, Mutoh, Mimaki, NUR, Oce, OKI, Ricoh, Roland, Seiko, Scitex, Xerox</small> | Requires Printer Option EFI • | Requires Printer Option EFI • |
| Wide to Super Wide printers | Requires Printer Option Wide Format/Super Wide Format | Requires Printer Option Wide Format/Super Wide Format |
| EFI Jetrion® | Requires Printer Option EFI | Requires Printer Option EFI |
| LANGUAGES | | |
| English, German, Spanish, French, Italian, Japanese, Simplified Chinese | • | • |

Key: - = Not available o = Optional • = Included o / • = New/enhanced in latest version

SYSTEM REQUIREMENTS

| | FIERY XF PRODUCTION VERSION | FIERY XF PROOFING VERSION |
|--|--|---------------------------|
| SYSTEM REQUIREMENTS AND RECOMMENDATIONS | | |
| Fiery XF Client - Operating Systems | Windows 7/8/8.1/10/2012 Servers (All - 32- & 64-bit supported) Mac OS X 10.9/10/11 (All - 32- & 64-bit supported) | |
| Fiery XF Client - Hardware Requirements Windows | Dual Core CPU with 2 GHz or more, 3 GB Ram, 10/100 Megabit network controller, 1 available USB port, monitor with resolution of at least 1280 x 1024 pixels | |
| Fiery XF Client - Hardware Requirements Macintosh | Dual Core CPU with 2 GHz or more, 3 GB Ram, 10/100 Megabit network controller, 1 available USB port, monitor with resolution of at least 1280 x 1024 pixels | |
| Fiery XF Server - Operating Systems | Windows 7/8/8.1/10/2008 R2/2012 Servers (All - 64-bit only) Mac OS X 10.9/10/11 (All 32- & 64-bit, running in 32-bit mode) | |
| Fiery XF Server - Hardware Requirements Windows | Quad Core CPU with 2 GHz or more, 8 GB RAM, 300 GB HDD, 10/100 Megabit network controller, 2 available USB ports | |
| Fiery XF Server - Hardware Recommendations Windows | LCD display with 1920 x 1080 pixels or more; 3 GHz 8-Core (or faster / more cores) processor; 32GB RAM; 1 Gigabit LAN controller; 4x 3.5"; Serial-ATA, 1.500 TB - Ideally 4 hard drives should be routed via "Server File Maintenance" in the Fiery XF Control as follows: 1 hard drive for the operating system, Fiery XF and the temporary folder; 1 hard drive for the job folder; 2 hard drives connected via Raid 0 for the output folder | |
| Fiery XF Server - Hardware Requirements Macintosh | Macintosh MacTel (native), Quad Core CPU with 2 GHz or more, 8 GB RAM, 300 GB HDD, 10/100 Megabit network controller, 2 available USB ports | |
| Fiery XF Server - Hardware Recommendations Macintosh | Mac Pro Configuration: "3.33 GHz 6-Core Intel Xeon Westmere" (or faster / more cores); 32GB RAM; 1 Gigabit LAN controller; Mac Pro RAID Card; 4 x 1 TB 3 GBit/Sec. Serial-ATA - Ideally 4 hard drives should be routed via "Server File Maintenance" in the Fiery XF Control as follows: 1 hard drive for the operating system, Fiery XF and the temporary folder, 1 hard drive for the job folder, 2 hard drives connected via Raid 0 for the output folder | |
| EFI Cut Server - Operating Systems | Windows® 8, Windows 7®, Windows 2008 Server, a monitor resolution for the client of 1280 x 1024 is recommended. | |
| EFI Cut Server - Hardware Requirements | 2 GHz Pentium IV PC or higher, 1 GB Ram per CPU, 60 GB HDD, 10/100 MBit Network | |
| Layout Option - Hardware Requirements and Supported File Formats | Operating System: Windows® 8, Windows® 7, Hardware Requirements: Dual Core CPU with 2 GHz or more, 4 GB RAM, 60 GB HDD, File Formats: PDF, imageEPS, PSD, JPEG, Tiff - in CMYK and Grey | |
| Softproof Option - Hardware Requirements | Operating System: Windows® 8, Windows® 7, Hardware Requirements: Dual Core CPU with 2 GHz or more, 2 GB RAM, 500 GB HDD, 10/100 Mbit Network, 1 available USB port, DVI connection with at least, 1.920x1.200 pixel and 24 | |

Fiery XF 6.2.2 - Supported Printers

| Manufacturer | Printer | PDF Integration Support | Technology | Max. Print Width | Fiery XF Server Support | Printer Option M | Printer Option XL | Printer Option XXL | Print & Cut | Printer Option EFI | Printer Option Wide Format | Printer Option Super Wide Format | Printer Option OKI | Printer Option KIP | Notes |
|--------------|--------------------------------------|-------------------------|------------|------------------|-------------------------|------------------|-------------------|--------------------|-------------|--------------------|----------------------------|----------------------------------|--------------------|--------------------|---|
| Agfa | Anapurna L | | DDD InJet | 61" | Mac/Win64 | | | | | | 5.2 | | | | |
| Agfa | Anapurna M1600 | | DDD InJet | 61.4" | Mac/Win64 | | | | | | 5.2 | | | | |
| Agfa | Anapurna M2 | | DDD InJet | 61.4" | Mac/Win64 | | | | | | 5.1 | | | | |
| Agfa | Anapurna M250 | | DDD InJet | 80.7" | Mac/Win64 | | | | | | | 5.2 | | | |
| Agfa | Anapurna M2540 | | DDD InJet | 100" | Mac/Win64 | | | | | | | 5.2 | | | |
| Agfa | Anapurna M2540 FB | | DDD InJet | 100" | Mac/Win64 | | | | | | | 6.1.1 | | | CMYK-White, CMYK+White |
| Agfa | Anapurna Mv | | DDD InJet | 61.4" | Mac/Win64 | | | | | | 5.2 | | | | |
| Agfa | Anapurna Ma | | DDD InJet | 61.4" | Mac/Win64 | | | | | | 5.2 | | | | |
| Agfa | Anapurna XL | | DDD InJet | 98.4" | Mac/Win64 | | | | | | | 5.2 | | | |
| Agfa | JETi 1224 HEC FTR | | DDD InJet | 96" | Mac/Win64 | | | | | | 6.0.1 | | | | CMYKcm, CMYKOG, CMYK-Varnish-White |
| Agfa | JETi 3024 Titan | | DDD InJet | 126" | Mac/Win64 | | | | | | 6.0.1 | | | | CMYKcm, CMYKOG, CMYK-Varnish-White |
| Agfa | JETi 3112 Solvent RTR | | DDD InJet | 130" | Mac/Win64 | | | | | | 6.0.1 | | | | CMYK, CMYKcm |
| Agfa | JETi 3224 Aqualek RTR | | DDD InJet | 130" | Mac/Win64 | | | | | | 6.0.1 | | | | CMYK, CMYKcm |
| Agfa | JETi 3224 Solvent RTR | | DDD InJet | 130" | Mac/Win64 | | | | | | 6.0.1 | | | | CMYK, CMYKcm |
| Agfa | JETi 3348 HSS | | DDD InJet | 130" | Mac/Win64 | | | | | | 6.0.1 | | | | CMYK |
| Agfa | JETi 3348 UV Galaxy RTR | | DDD InJet | 130" | Mac/Win64 | | | | | | 6.0.1 | | | | CMYKcm |
| Agfa | JETi 3348 UV JetSpeed RTR | | DDD InJet | 130" | Mac/Win64 | | | | | | 6.0.1 | | | | CMYK |
| Agfa | JETi 5024 Solvent RTR | | DDD InJet | 200" | Mac/Win64 | | | | | | 6.0.1 | | | | CMYK, CMYKcm |
| Agfa | JETi 5024 UV JetSpeed RTR | | DDD InJet | 200" | Mac/Win64 | | | | | | 6.0.1 | | | | CMYK, CMYKcm |
| Agfa | JETi Titan 5 | | DDD InJet | 126" | Mac/Win64 | | | 6.2 | | | | | | | |
| Agfa | JETi Titan HS | | DDD InJet | 126" | Mac/Win64 | | | 6.2 | | | | | | | |
| Agfa | Sherpa 24 | | DDD InJet | 24" | Mac/Win64 | | 2.5 | | | | | | | | |
| Agfa | Sherpa 24m | | DDD InJet | 24" | Mac/Win64 | | 2.5 | | | | | | | | |
| Agfa | Sherpa 44m | | DDD InJet | 44" | Mac/Win64 | | | 2.5 | | | | | | | |
| Canon | imagePROGRAF IPF500 | | DDD InJet | 17" | Mac/Win64 | 3.0.1 | | | | | | | | | |
| Canon | imagePROGRAF IPF5000 | | DDD InJet | 17" | Mac/Win64 | 3.0.1 | | | | | | | | | |
| Canon | imagePROGRAF IPF5100 | | DDD InJet | 17" | Mac/Win64 | 3.1.2 | | | | | | | | | |
| Canon | imagePROGRAF IPF5100 RGB Contone | | DDD InJet | 17" | Mac/Win64 | 4.1 | | | | | | | | | |
| Canon | imagePROGRAF IPF600 | | DDD InJet | 24" | Mac/Win64 | | 3.0.1 | | | | | | | | |
| Canon | imagePROGRAF IPF600S | | DDD InJet | 24" | Mac/Win64 | | 3.1.8-PrintPack | | | | | | | | |
| Canon | imagePROGRAF IPF600S RGB Contone | | DDD InJet | 24" | Mac/Win64 | | 4.5.2 | | | | | | | | |
| Canon | imagePROGRAF IPF605 | | DDD InJet | 24" | Mac/Win64 | | 3.1.7 | | | | | | | | |
| Canon | imagePROGRAF IPF610 | | DDD InJet | 24" | Mac/Win64 | | 3.1.3 | | | | | | | | |
| Canon | imagePROGRAF IPF6100 | | DDD InJet | 24" | Mac/Win64 | | 3.1.2 | | | | | | | | |
| Canon | imagePROGRAF IPF6100 RGB Contone | | DDD InJet | 24" | Mac/Win64 | | 4.1 | | | | | | | | |
| Canon | imagePROGRAF IPF6200 | | DDD InJet | 24" | Mac/Win64 | | 3.1.8-PrintPack | | | | | | | | |
| Canon | imagePROGRAF IPF6200 RGB Contone | | DDD InJet | 24" | Mac/Win64 | | 4.1 | | | | | | | | |
| Canon | imagePROGRAF IPF6300 CMYK Contone | | DDD InJet | 24" | Mac/Win64 | | 4.1.1 | | | | | | | | |
| Canon | imagePROGRAF IPF6300 RGB Contone | | DDD InJet | 24" | Mac/Win64 | | 4.1.1 | | | | | | | | |
| Canon | imagePROGRAF IPF6300S CMYK Contone | | DDD InJet | 24" | Mac/Win64 | | 4.5.1 | | | | | | | | |
| Canon | imagePROGRAF IPF6300S RGB Contone | | DDD InJet | 24" | Mac/Win64 | | 4.5.1 | | | | | | | | |
| Canon | imagePROGRAF IPF6350 CMYK Contone | | DDD InJet | 24" | Mac/Win64 | | 4.1.1 | | | | | | | | |
| Canon | imagePROGRAF IPF6350 RGB Contone | | DDD InJet | 24" | Mac/Win64 | | 4.1.1 | | | | | | | | |
| Canon | imagePROGRAF IPF6400 | | DDD InJet | 24" | Mac/Win64 | | 4.5.8 | | | | | | | | Supports the internal spectrophotometer |
| Canon | imagePROGRAF IPF6400 RGB Contone | | DDD InJet | 24" | Mac/Win64 | | 4.5.8 | | | | | | | | Supports the internal spectrophotometer |
| Canon | imagePROGRAF IPF6400S CMYK Contone | | DDD InJet | 24" | Mac/Win64 | | 5.2 | | | | | | | | Supports the internal spectrophotometer |
| Canon | imagePROGRAF IPF6400S RGB Contone | | DDD InJet | 24" | Mac/Win64 | | 5.2 | | | | | | | | Supports the internal spectrophotometer |
| Canon | imagePROGRAF IPF6400 SE RGB Contone | | DDD InJet | 24" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF6400 SE CMYK Contone | | DDD InJet | 24" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF650 | | DDD InJet | 24" | Mac/Win64 | | 4.0.1 | | | | | | | | |
| Canon | imagePROGRAF IPF655 | | DDD InJet | 24" | Mac/Win64 | | 4.0.1 | | | | | | | | |
| Canon | imagePROGRAF IPF670 RGB Contone | | DDD InJet | 24" | Mac/Win64 | | 6.1.1 | | | | | | | | |
| Canon | imagePROGRAF IPF670 CMYK Contone | | DDD InJet | 24" | Mac/Win64 | | 6.1.1 | | | | | | | | |
| Canon | imagePROGRAF IPF671 RGB Contone | | DDD InJet | 24" | Mac/Win64 | | 6.1.1 | | | | | | | | |
| Canon | imagePROGRAF IPF671 CMYK Contone | | DDD InJet | 24" | Mac/Win64 | | 6.1.1 | | | | | | | | |
| Canon | imagePROGRAF IPF680 RGB Contone | | DDD InJet | 24" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF680 CMYK Contone | | DDD InJet | 24" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF681 RGB Contone | | DDD InJet | 24" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF681 CMYK Contone | | DDD InJet | 24" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF685 RGB Contone | | DDD InJet | 24" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF685 CMYK Contone | | DDD InJet | 24" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF686 RGB Contone | | DDD InJet | 24" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF686 CMYK Contone | | DDD InJet | 24" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF700 | | DDD InJet | 36" | Mac/Win64 | | 3.0.1 | | | | | | | | |
| Canon | imagePROGRAF IPF710 | | DDD InJet | 36" | Mac/Win64 | | 3.1.3 | | | | | | | | |
| Canon | imagePROGRAF IPF720 | | DDD InJet | 36" | Mac/Win64 | | 3.1.7 | | | | | | | | |
| Canon | imagePROGRAF IPF750 | | DDD InJet | 36" | Mac/Win64 | | 4.0.1 | | | | | | | | |
| Canon | imagePROGRAF IPF755 | | DDD InJet | 36" | Mac/Win64 | | 4.0.1 | | | | | | | | |
| Canon | imagePROGRAF IPF760 | | DDD InJet | 36" | Mac/Win64 | | 5.1 | | | | | | | | |
| Canon | imagePROGRAF IPF765 | | DDD InJet | 36" | Mac/Win64 | | 5.1 | | | | | | | | |
| Canon | imagePROGRAF IPF770 RGB Contone | | DDD InJet | 36" | Mac/Win64 | | 6.1.1 | | | | | | | | |
| Canon | imagePROGRAF IPF770 CMYK Contone | | DDD InJet | 36" | Mac/Win64 | | 6.1.1 | | | | | | | | |
| Canon | imagePROGRAF IPF771 RGB Contone | | DDD InJet | 36" | Mac/Win64 | | 6.1.1 | | | | | | | | |
| Canon | imagePROGRAF IPF771 CMYK Contone | | DDD InJet | 36" | Mac/Win64 | | 6.1.1 | | | | | | | | |
| Canon | imagePROGRAF IPF780 RGB Contone | | DDD InJet | 36" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF780 CMYK Contone | | DDD InJet | 36" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF781 RGB Contone | | DDD InJet | 36" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF781 CMYK Contone | | DDD InJet | 36" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF785 RGB Contone | | DDD InJet | 36" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF785 CMYK Contone | | DDD InJet | 36" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF786 RGB Contone | | DDD InJet | 36" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF786 CMYK Contone | | DDD InJet | 36" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF788 RGB Contone | | DDD InJet | 44" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF788 CMYK Contone | | DDD InJet | 44" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF800S | | DDD InJet | 44" | Mac/Win64 | | 3.1.3 | | | | | | | | |
| Canon | imagePROGRAF IPF800S RGB Contone | | DDD InJet | 44" | Mac/Win64 | | 4.5.2 | | | | | | | | |
| Canon | imagePROGRAF IPF810S | | DDD InJet | 44" | Mac/Win64 | | 4.5.3 | | | | | | | | |
| Canon | imagePROGRAF IPF810S RGB Contone | | DDD InJet | 44" | Mac/Win64 | | 4.5.3 | | | | | | | | |
| Canon | imagePROGRAF IPF810 | | DDD InJet | 44" | Mac/Win64 | | 3.1.8-PrintPack | | | | | | | | |
| Canon | imagePROGRAF IPF810 RGB Contone | | DDD InJet | 44" | Mac/Win64 | | 4.1 | | | | | | | | |
| Canon | imagePROGRAF IPF810S CMYK Contone | | DDD InJet | 44" | Mac/Win64 | | 3.1.4 | | | | | | | | |
| Canon | imagePROGRAF IPF811 | | DDD InJet | 44" | Mac/Win64 | | 4.5.3 | | | | | | | | |
| Canon | imagePROGRAF IPF811 RGB Contone | | DDD InJet | 44" | Mac/Win64 | | 4.5.3 | | | | | | | | |
| Canon | imagePROGRAF IPF815 CMYK Contone | | DDD InJet | 24" | Mac/Win64 | | 4.5 | | | | | | | | |
| Canon | imagePROGRAF IPF820 | | DDD InJet | 44" | Mac/Win64 | | 3.1.8-PrintPack | | | | | | | | |
| Canon | imagePROGRAF IPF825 CMYK Contone | | DDD InJet | 24" | Mac/Win64 | | 4.5 | | | | | | | | |
| Canon | imagePROGRAF IPF830 RGB Contone | | DDD InJet | 44" | Mac/Win64 | | 6.2 | | | | | | | | |
| Canon | imagePROGRAF IPF830 CMYK Contone | | DDD InJet | 44" | Mac/Win64 | | 6.2 | | | | | | | | |
| Canon | imagePROGRAF IPF830S CMYK Contone | | DDD InJet | 44" | Mac/Win64 | | 4.1.1 | | | | | | | | |
| Canon | imagePROGRAF IPF830S RGB Contone | | DDD InJet | 44" | Mac/Win64 | | 4.1.1 | | | | | | | | |
| Canon | imagePROGRAF IPF830S CMYK Contone | | DDD InJet | 44" | Mac/Win64 | | 4.5.1 | | | | | | | | |
| Canon | imagePROGRAF IPF830S RGB Contone | | DDD InJet | 44" | Mac/Win64 | | 4.5.1 | | | | | | | | |
| Canon | imagePROGRAF IPF810 | | DDD InJet | 44" | Mac/Win64 | | 4.5.3 | | | | | | | | |
| Canon | imagePROGRAF IPF810 RGB Contone | | DDD InJet | 44" | Mac/Win64 | | 4.5.3 | | | | | | | | |
| Canon | imagePROGRAF IPF810S CMYK Contone | | DDD InJet | 44" | Mac/Win64 | | 4.5.1 | | | | | | | | |
| Canon | imagePROGRAF IPF810S RGB Contone | | DDD InJet | 44" | Mac/Win64 | | 4.5.1 | | | | | | | | |
| Canon | imagePROGRAF IPF840 RGB Contone | | DDD InJet | 44" | Mac/Win64 | | 6.2 | | | | | | | | |
| Canon | imagePROGRAF IPF840 CMYK Contone | | DDD InJet | 44" | Mac/Win64 | | 6.2 | | | | | | | | |
| Canon | imagePROGRAF IPF840S CMYK Contone | | DDD InJet | 44" | Mac/Win64 | | 4.5.8 | | | | | | | | |
| Canon | imagePROGRAF IPF840S RGB Contone | | DDD InJet | 44" | Mac/Win64 | | 4.5.8 | | | | | | | | |
| Canon | imagePROGRAF IPF840S CMYK Contone | | DDD InJet | 44" | Mac/Win64 | | 5.2 | | | | | | | | |
| Canon | imagePROGRAF IPF840S RGB Contone | | DDD InJet | 44" | Mac/Win64 | | 5.2 | | | | | | | | |
| Canon | imagePROGRAF IPF840SE RGB Contone | | DDD InJet | 44" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF850 RGB Contone | | DDD InJet | 44" | Mac/Win64 | | 6.0 | | | | | | | | |
| Canon | imagePROGRAF IPF850 CMYK Contone | | DDD InJet | 44" | Mac/Win64 | | 6.2 | | | | | | | | |
| Canon | imagePROGRAF IPF900 | | DDD InJet | 60" | Mac/Win64 | | 3.0.1 | | | | | | | | |
| Canon | imagePROGRAF IPF900S | | DDD InJet | 60" | Mac/Win64 | | 3.1.3 | | | | | | | | |
| Canon | imagePROGRAF IPF900S RGB Contone | | DDD InJet | 60" | Mac/Win64 | | 4.5.2 | | | | | | | | |
| Canon | imagePROGRAF IPF910S RGB Contone | | DDD InJet | 60" | Mac/Win64 | | 4.5 | | | | | | | | |

Fury XF 6.2.2 - Supported Printers

| Manufacturer | Printer | JDF Integration Support | Technology | Max. Print Width | Fury XF Server Supported OS | Printer Option M | Printer Option XL | Printer Option XXL | Print & Cut | Printer Option EPI | Printer Option Wide Format | Printer Option Super Wide Format | Printer Option OKI | Printer Option KIP | Notes |
|--------------|--|-------------------------|------------|------------------|-----------------------------|------------------|-------------------|--------------------|-------------|--------------------|----------------------------|----------------------------------|--------------------|--------------------|---|
| Durst | Rho P10 250 | | DDD Inkjet | 98.4" | Mac/Win64 | | | | | | | | | | |
| Durst | Rho P10 320R | | DDD Inkjet | 126" | Mac/Win64 | | | | | | | | | | No support for CMYK-Orange-Violet-White and CMYKcm-Orange-Violet-White |
| Durst | Rhodie 320R | | DDD Inkjet | 126" | Mac/Win64 | | | | | | | | | | No support for CMYK-Orange-Violet-White and CMYKcm-Orange-Violet-White |
| EFI | Jetron 4000 | | DDD Inkjet | 5.5" | Mac/Win64 | | | | | 4.5 | | | | | |
| EFI | Jetron 4830 (vWhite) | | DDD Inkjet | 8.3" | Mac/Win64 | | | | | 4.5 | | | | | |
| EFI | Jetron 4900 (vWhite) | | DDD Inkjet | 13.75" | Mac/Win64 | | | | | 4.5 | | | | | |
| EFI | Jetron 4900Lx (vWhite) | | DDD Inkjet | 13.75" | Mac/Win64 | | | | | 6.0 | | | | | |
| EFI | Rastek H650 | | DDD Inkjet | 65" | Win64 | | | | | | | | | | JDF integration level 1.5. Fury XF 6.0 needs to be installed on a 64-bit RP Station connected to the Printer PC via Ethernet. |
| EFI | Rastek H652 | | DDD Inkjet | 65" | Win64 | | | | | 4.1.3 | | | | | JDF integration level 1.5. Fury XF 6.0 needs to be installed on a 64-bit RP Station connected to the Printer PC via Ethernet. |
| EFI | Rastek H700 | | DDD Inkjet | 72" | Win64 | | | | | 3.1.8 | | | | | JDF integration level 1.5. Fury XF 6.0 needs to be installed on a 64-bit RP Station connected to the Printer PC via Ethernet. |
| EFI | Rastek T1000 | | DDD Inkjet | 98.5 x 52" | Win64 | | | | | 4.1.3 | | | | | JDF integration level 1.5. Fury XF 6.0 needs to be installed on a 64-bit RP Station connected to the Printer PC via Ethernet. |
| EFI | Rastek T660 | | DDD Inkjet | 64 x 48" | Win64 | | | | | 4.0.1 | | | | | JDF integration level 1.5. Fury XF 6.0 needs to be installed on a 64-bit RP Station connected to the Printer PC via Ethernet. |
| EFI | VUTEk G52000 (+ White) | | DDD Inkjet | 80" | Mac/Win64 | | | | | 4.0.1 | | | | | JDF integration level 1.0. Requires printer version 2.0 or higher. |
| EFI | VUTEk G52000 Pro (+ White) | | DDD Inkjet | 80" | Mac/Win64 | | | | | 4.5.7 | | | | | JDF integration level 1.5. Requires printer version 3.0 or higher. |
| EFI | VUTEk G52000 Pro (+ White) Thermofarm Ink | | DDD Inkjet | 80" | Mac/Win64 | | | | | 5.2 | | | | | JDF integration level 1.5. Requires printer version 3.0 or higher. |
| EFI | VUTEk G52000 Pro Coprolast Ink | | DDD Inkjet | 80" | Mac/Win64 | | | | | 5.2 | | | | | New ink type as part of the "VUTEk G52000 Pro" driver |
| EFI | VUTEk G52000a | | DDD Inkjet | 80" | Mac/Win64 | | | | | 4.5.8 | | | | | JDF integration level 1.0. Requires printer version 2.0 or higher. |
| EFI | VUTEk G52000a Pro (+ White) | | DDD Inkjet | 80" | Mac/Win64 | | | | | 4.5.8 | | | | | JDF integration level 1.5. Requires printer version 3.0 or higher. |
| EFI | VUTEk G52000a Pro UD (+ White) | | DDD Inkjet | 80" | Mac/Win64 | | | | | 6.0.1 | | | | | JDF integration level 1.5. Requires printer version 3.0 or higher. |
| EFI | VUTEk G53200 | | DDD Inkjet | 126" | Mac/Win64 | | | | | 4.0.1 | | | | | JDF integration level 1.0. Requires printer version 2.0 or higher. |
| EFI | VUTEk G53250 Pro (+ White) | | DDD Inkjet | 126" | Mac/Win64 | | | | | 4.5.7 | | | | | JDF integration level 1.5. Requires printer version 3.0 or higher. |
| EFI | VUTEk G53250 Pro (+ White) Thermofarm Ink | | DDD Inkjet | 126" | Mac/Win64 | | | | | 5.2 | | | | | New ink type as part of the "VUTEk G53250 Pro (+ White)" drivers |
| EFI | VUTEk G53250 Pro Coprolast Ink | | DDD Inkjet | 126" | Mac/Win64 | | | | | 5.2 | | | | | New ink type as part of the "VUTEk G53250 Pro" driver |
| EFI | VUTEk G53250a | | DDD Inkjet | 126" | Mac/Win64 | | | | | 4.5.2 | | | | | JDF integration level 1.0. Requires printer version 2.0 or higher. |
| EFI | VUTEk G53250a Pro (+ White) | | DDD Inkjet | 126" | Mac/Win64 | | | | | 4.5.7 | | | | | JDF integration level 1.5. Requires printer version 3.0 or higher. |
| EFI | VUTEk G53250a Pro UD (+ White) | | DDD Inkjet | 126" | Mac/Win64 | | | | | 5.2 | | | | | JDF integration level 1.5. Requires printer version 3.0 or higher. |
| EFI | VUTEk G53250ur Pro | | DDD Inkjet | 126" | Mac/Win64 | | | | | 4.5.7 | | | | | JDF integration level 1.5. Requires printer version 3.0 or higher. |
| EFI | VUTEk G53250ur Pro UD (+ White) | | DDD Inkjet | 126" | Mac/Win64 | | | | | 4.5.2 | | | | | JDF integration level 1.0. Requires printer version 2.0 or higher. |
| EFI | VUTEk G5350 Pro (vWhite) | | DDD Inkjet | 198" | Mac/Win64 | | | | | 6.2.2 | | | | | JDF integration level 1.5 |
| EFI | VUTEk G5500r | | DDD Inkjet | 198" | Mac/Win64 | | | | | 4.0.1 | | | | | JDF integration level 1.0. Requires printer version 1.5 or higher. |
| EFI | VUTEk G5500r (+ White) | | DDD Inkjet | 198" | Mac/Win64 | | | | | 4.5.3 | | | | | JDF integration level 1.0. Requires printer version 1.5 or higher. |
| EFI | VUTEk G55200r Pro (vWhite) | | DDD Inkjet | 204" | Mac/Win64 | | | | | 6.1.1 | | | | | JDF integration level 1.5. |
| EFI | VUTEk G5500ur Pro (+ White) | | DDD Inkjet | 198" | Mac/Win64 | | | | | 6.1 | | | | | JDF integration level 1.5. Requires printer version 3.0 or higher. |
| EFI | VUTEk G5500ur Pro UD (+ White) | | DDD Inkjet | 198" | Mac/Win64 | | | | | 6.1 | | | | | JDF integration level 1.5. Requires printer version 3.0 or higher. |
| EFI | VUTEk HD-100 Pro (+ White) | | DDD Inkjet | 126" | Mac/Win64 | | | | | 5.0 | | | | | JDF integration level 1.5. |
| EFI | VUTEk HD Pro (+ White) | | DDD Inkjet | 126" | Mac/Win64 | | | | | 6.2 | | | | | JDF integration level 1.5. |
| EFI | VUTEk v50000 Pro (+ White + Clear) | | DDD Inkjet | 60" | Mac/Win64 | | | | | 6.2.2 | | | | | JDF integration level 1.5. Driver introduced in 6.1. Clear ink added in 6.2.2 |
| EFI | VUTEk PressVu LV 200 (+ White) | | DDD Inkjet | 80" | Mac/Win64 | | | | | 3.0 | | | | | |
| EFI | VUTEk PressVu LV 320 | | DDD Inkjet | 126" | Mac/Win64 | | | | | 3.0.3 | | | | | |
| EFI | VUTEk PressVu LV 400 | | DDD Inkjet | 126" | Mac/Win64 | | | | | 3.0.3 | | | | | |
| EFI | VUTEk PressVu LV 600 (+ White) | | DDD Inkjet | 80" | Mac/Win64 | | | | | 3.0 | | | | | |
| EFI | VUTEk Q2 Pro | | DDD Inkjet | 80" | Mac/Win64 | | | | | 4.5.7 | | | | | JDF integration level 1.5. |
| EFI | VUTEk Q23000 (+ White) | | DDD Inkjet | 80" | Mac/Win64 | | | | | 4.0 | | | | | |
| EFI | VUTEk Q2320 | | DDD Inkjet | 80" | Mac/Win64 | | | | | 4.0 | | | | | |
| EFI | VUTEk Q23 Pro | | DDD Inkjet | 126" | Mac/Win64 | | | | | 4.5.8 | | | | | JDF integration level 1.5. |
| EFI | VUTEk Q2320 (+ White) | | DDD Inkjet | 126" | Mac/Win64 | | | | | 4.0 | | | | | |
| EFI | VUTEk Q23250r | | DDD Inkjet | 126" | Mac/Win64 | | | | | 4.5.2 | | | | | JDF integration level 1.5. |
| EFI | VUTEk Ultraviva 150 | | DDD Inkjet | 60" | Mac/Win64 | | | | | 3.0.3 | | | | | 4.5.7 / 4.5.7 updated linearization |
| EFI | VUTEk Ultraviva 300 | | DDD Inkjet | 126" | Mac/Win64 | | | | | 3.0.3 | | | | | |
| EFI | VUTEk Ultraviva 500 | | DDD Inkjet | 196" | Mac/Win64 | | | | | 3.0 | | | | | |
| EFI | VUTEk Ultraviva 83360 | | DDD Inkjet | 126" | Mac/Win64 | | | | | 3.0 | | | | | |
| EFI | VUTEk Ultraviva 9350 | | DDD Inkjet | 200" | Mac/Win64 | | | | | 3.0.3 | | | | | |
| EFI | Wide Format R3225 | | DDD Inkjet | 60" | Win64 | | | | | 5.2.2 | | | | | JDF integration level 1.5. |
| EFI | Wide Format R3225 | | DDD Inkjet | 126" | Win64 | | | | | 4.5.6 | | | | | JDF integration level 1.5. |
| Encad | Nowalet Pro 3000 | | DDD Inkjet | 427 / 60" | Mac/Win64 | | | | | 2.5 | | | | | |
| Encad | Nowalet Pro 750 | | DDD Inkjet | 36" | Mac/Win64 | | | | | 2.5 | | | | | |
| Encad | Nowalet Pro 750 | | DDD Inkjet | 60" | Mac/Win64 | | | | | 2.5 | | | | | |
| Encad | Nowalet Pro 850 | | DDD Inkjet | 60" | Mac/Win64 | | | | | 2.5 | | | | | |
| Encad | Nowalet Pro 850 | | DDD Inkjet | 60" | Mac/Win64 | | | | | 2.5 | | | | | |
| EPSON | Styler Color 1320 (M1-8000C) | | DDD Inkjet | A2 | Mac/Win64 | 2.5 | | | | | | | | | |
| EPSON | Styler Color 3000 (M1-8000C) | | DDD Inkjet | A2 | Mac/Win64 | 2.5 | | | | | | | | | |
| EPSON | Styler Photo 2100/2200 (FX-4000FX) | | DDD Inkjet | A3+ | Mac/Win64 | 2.5 | | | | | | | | | |
| EPSON | Styler Photo 8300 (FX-5400) RGB Contone | | DDD Inkjet | A3+/13" | Mac/Win64 | 2.6.1 | | | | | | | | | |
| EPSON | Styler Photo 8300 (FX-5400) CMYK Contone | | DDD Inkjet | A3+/13" | Mac/Win64 | 4.5.2 | | | | | | | | | |
| EPSON | Styler Photo 8300 (FX-5400) RGB Contone | | DDD Inkjet | A3+/13" | Mac/Win64 | 4.5.1 | | | | | | | | | |
| EPSON | Styler PRO 10000 (PM-10000) | | DDD Inkjet | 44" | Mac/Win64 | | | | | 2.5 | | | | | |
| EPSON | Styler PRO 10000 (PM-10000) | | DDD Inkjet | 44" | Mac/Win64 | | | | | 2.5 | | | | | |
| EPSON | Styler PRO 10600 (FX-10000) | | DDD Inkjet | 44" | Mac/Win64 | | | | | 2.5 | | | | | |
| EPSON | Styler PRO 11880 (FX-20000) CMYK Contone | | DDD Inkjet | 64" | Mac/Win64 | | | | | 3.1.3 | | | | | |
| EPSON | Styler PRO 11880 (FX-20000) RGB Contone | | DDD Inkjet | 64" | Mac/Win64 | | | | | 2.5 | | | | | |
| EPSON | Styler PRO 3800 (FX-5800) CMYK Contone | | DDD Inkjet | A2 | Win64 | 3.0.3 | | | | | | | | | Mac support discontinued with version 5 |
| EPSON | Styler PRO 3800 (FX-5800) CMYK Contone | | DDD Inkjet | A2 | Mac/Win64 | 3.1.2 | | | | | | | | | |
| EPSON | Styler PRO 3800 (FX-5800) CMYK Contone | | DDD Inkjet | A2 | Mac/Win64 | 4.1 | | | | | | | | | |
| EPSON | Styler PRO 3885/3885/3880 (FX-5002) CMYK Contone | | DDD Inkjet | A2+ | Mac/Win64 | 4.1 | | | | | | | | | |
| EPSON | Styler PRO 3885/3885/3880 (FX-5002) CMYK Contone | | DDD Inkjet | A2+ | Mac/Win64 | 4.1 | | | | | | | | | |
| EPSON | Styler PRO 3885/3885/3880 (FX-5002) CMYK Contone | | DDD Inkjet | A2+ | Mac/Win64 | 4.1 | | | | | | | | | |
| EPSON | Styler PRO 4000 (FX-6000) | | DDD Inkjet | A2/17" | Mac/Win64 | 2.5 | | | | | | | | | |
| EPSON | Styler PRO 4400 (FX-6200) | | DDD Inkjet | A2/17" | Mac/Win64 | 2.6.4 | | | | | | | | | |
| EPSON | Styler PRO 4450 (FX-6200) | | DDD Inkjet | A2/17" | Mac/Win64 | 3.1.3 | | | | | | | | | |
| EPSON | Styler PRO 4800 (FX-6500) | | DDD Inkjet | A2/17" | Mac/Win64 | 2.5.4 | | | | | | | | | |
| EPSON | Styler PRO 4880 (FX-6500) CMYK Contone | | DDD Inkjet | A2/17" | Mac/Win64 | 2.6.1 | | | | | | | | | |
| EPSON | Styler PRO 4880 (FX-6500) CMYK Contone | | DDD Inkjet | A2/17" | Mac/Win64 | 3.1.6 | | | | | | | | | |
| EPSON | Styler PRO 4880 (FX-6500) RGB Contone | | DDD Inkjet | A2/17" | Mac/Win64 | 4.1 | | | | | | | | | |
| EPSON | Styler PRO 4900/4910 CMYK Contone | | DDD Inkjet | A2/17" | Mac/Win64 | 4.5 | | | | | | | | | |
| EPSON | Styler PRO 4900/4910 CMYK Contone | | DDD Inkjet | A2/17" | Mac/Win64 | 4.5 | | | | | | | | | |
| EPSON | Styler PRO 4900/4910 RGB Contone | | DDD Inkjet | A2/17" | Mac/Win64 | 2.5 | | | | | | | | | |
| EPSON | Styler PRO 5000 (FX-5000) | | DDD Inkjet | A3+ | Mac/Win64 | 4.5 | | | | | | | | | |
| EPSON | Styler PRO 5500 (FX-5500) | | DDD Inkjet | A3+ | Mac/Win64 | 2.5 | | | | | | | | | |
| EPSON | Styler PRO 7000 (PM-7000C) | | DDD Inkjet | 24" | Mac/Win64 | 2.5 | | | | | | | | | |
| EPSON | Styler PRO 7400 (FX-7500) | | DDD Inkjet | 24" | Mac/Win64 | 2.6 | | | | | | | | | |
| EPSON | Styler PRO 7400 (FX-7500) | | DDD Inkjet | 24" | Mac/Win64 | 3.1.3 | | | | | | | | | |
| EPSON | Styler PRO 7500 (MC-7000) | | DDD Inkjet | 24" | Mac/Win64 | 2.5 | | | | | | | | | |
| EPSON | Styler PRO 7600 (FX-7000) | | DDD Inkjet | 24" | Mac/Win64 | 2.5 | | | | | | | | | |
| EPSON | Styler PRO 7700 (FX-7800) CMYK Contone | | DDD Inkjet | 24" | Mac/Win64 | 4.1 | | | | | | | | | |

Fiery XF 6.2.2 - Supported Printers

| Manufacturer | Printer | PDF Integration Support | Technology | Max. Print Width | Fiery XF Supported OS | Printer Option M | Printer Option XL | Printer Option XXL | Print & Cut | Printer Option EFI | Printer Option Wide Format | Printer Option Super Wide Format | Printer Option OKI | Printer Option KIP | Notes |
|-----------------|--|-------------------------|------------|------------------|-----------------------|------------------|-------------------|--------------------|-------------|--------------------|----------------------------|----------------------------------|--------------------|--------------------|---|
| Fuji | Acuity HS 3545 X2 | | DDD Inkjet | 98.8 | Mac/Win64 | | | | | | | 5.2 | | | |
| Fuji | Acuity L83 1800 | | DDD Inkjet | 65.99 | Mac/Win64 | | | | | | 6.1.1 | | | | CMYK+White; no support for 3 layer print mode |
| Gandinnovations | Jeti 1224 UV Flatbed | | DDD Inkjet | 96" | Mac/Win64 | | | | | | | | | | CMYK CMYKcm |
| Gandinnovations | Jeti 2030-48UV Flatbed | | DDD Inkjet | 120" | Mac/Win64 | | | | | | | | | | CMYKcm |
| Gandinnovations | Jeti 2030UV Flatbed | | DDD Inkjet | 120" | Mac/Win64 | | | | | | | | | | CMYKcm |
| Gandinnovations | Jeti 1150 UV Flatbed | | DDD Inkjet | 120" | Mac/Win64 | | | | | | | | | | CMYK CMYKcm |
| Gandinnovations | Jeti 1150-48 UV Flatbed | | DDD Inkjet | 120" | Mac/Win64 | | | | | | | | | | CMYKcm |
| Gandinnovations | Jeti 3150K2 UV Flatbed | | DDD Inkjet | 120" | Mac/Win64 | | | | | | | | | | CMYK CMYKcm |
| Gandinnovations | Jeti 3112 | | DDD Inkjet | 130" | Mac/Win64 | | | | | | | | | | CMYK CMYKcm |
| Gandinnovations | Jeti 3118 | | DDD Inkjet | 130" | Mac/Win64 | | | | | | | | | | CMYK CMYKcm |
| Gandinnovations | Jeti 3324 | | DDD Inkjet | 130" | Mac/Win64 | | | | | | | | | | CMYK CMYKcm |
| Gandinnovations | Jeti 3324 UV RTR | | DDD Inkjet | 130" | Mac/Win64 | | | | | | | | | | CMYK CMYKcm |
| Gandinnovations | Jeti 3324 WRT | | DDD Inkjet | 130" | Mac/Win64 | | | | | | | | | | CMYK CMYKcm |
| Gandinnovations | Jeti 3348 UV RTR | | DDD Inkjet | 130" | Mac/Win64 | | | | | | | | | | CMYKcm |
| Gandinnovations | Jeti 5024 | | DDD Inkjet | 200" | Mac/Win64 | | | | | | | | | | CMYKcm |
| Gandinnovations | Jeti 5024 UV RTR | | DDD Inkjet | 200" | Mac/Win64 | | | | | | | | | | CMYKcm |
| Gandinnovations | Procolor | | DDD Inkjet | 96" | Mac/Win64 | | | | | | | | | | CMYK, CMYK+Varnish-White |
| HP | DesignJet 10/20/50 PS | | DDD Inkjet | A3+ | Mac/Win64 | 2.5 | | | | | | | | | |
| HP | DesignJet 1050 | | DDD Inkjet | 36" | Mac/Win64 | | | 2.5 | | | | | | | |
| HP | DesignJet 1055 | | DDD Inkjet | 36" | Mac/Win64 | | | 2.5 | | | | | | | |
| HP | DesignJet 125/120NR | | DDD Inkjet | 24" | Mac/Win64 | | 2.5 | | | | | | | | |
| HP | DesignJet 130/130NR | | DDD Inkjet | 24" | Mac/Win64 | | 2.5 | | | | | | | | |
| HP | DesignJet 30/30N | | DDD Inkjet | A3+ | Mac/Win64 | 2.5 | | | | | | | | | |
| HP | DesignJet 4000/4000ps | | DDD Inkjet | 42" | Mac/Win64 | | | 2.5, 2 | | | | | | | |
| HP | DesignJet 402/402ps | | DDD Inkjet | 42" | Mac/Win64 | | | 4.0, 1 | | | | | | | |
| HP | DesignJet 4500 | | DDD Inkjet | 42" | Mac/Win64 | | | 3.0 | | | | | | | |
| HP | DesignJet 4520/4520ps | | DDD Inkjet | 42" | Mac/Win64 | | | 4.0, 1 | | | | | | | |
| HP | DesignJet 500 | | DDD Inkjet | 24" / 42" | Mac/Win64 | | 3.1, 6 | 3.1, 6 | | | | | | | |
| HP | DesignJet 5000 | | DDD Inkjet | 42" | Mac/Win64 | | | 2.5 | | | | | | | |
| HP | DesignJet 5000 | | DDD Inkjet | 60" | Mac/Win64 | | | 2.5 | | | | | | | |
| HP | DesignJet 510 | | DDD Inkjet | 24" / 42" | Mac/Win64 | | 4.0 | 4.0 | | | | | | | |
| HP | DesignJet 5500 (incl. Spinlet support) | | DDD Inkjet | 42" | Mac/Win64 | | | 2.5 | | | | | | | |
| HP | DesignJet 5500 (incl. Spinlet support) | | DDD Inkjet | 60" | Mac/Win64 | | | 2.5 | | | | | | | |
| HP | DesignJet 800 | | DDD Inkjet | 24" / 42" | Mac/Win64 | | 2.5 | 2.5 | | | | | | | |
| HP | DesignJet 90 | | DDD Inkjet | 18" | Mac/Win64 | 2.5, 4 | | | | | | | | | |
| HP | DesignJet L25500 | | DDD Inkjet | 60" | Win64 | | | 4.5 | | | | | | | |
| HP | DesignJet L26500 | | DDD Inkjet | 65" | Win64 | | | 4.5, 6 | | | | | | | |
| HP | DesignJet L28500 | | DDD Inkjet | 104" | Win64 | | | 5.1 | | | | | | | |
| HP | DesignJet L85500 | | DDD Inkjet | 104.0" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | DesignJet T1100/1100ps | | DDD Inkjet | 24" / 44" | Mac/Win64 | | 3.1, 6 | 3.1, 6 | | | | | | | |
| HP | DesignJet T1120/1120ps | | DDD Inkjet | 24" / 44" | Mac/Win64 | | 4.0, 1 | 4.0, 1 | | | | | | | |
| HP | DesignJet T610 | | DDD Inkjet | 24" / 44" | Mac/Win64 | | 3.1, 6 | 3.1, 6 | | | | | | | |
| HP | DesignJet T9500 | | DDD Inkjet | 36" | Mac/Win64 | | | 6.2, 2 | | | | | | | |
| HP | DesignJet T7200 | | DDD Inkjet | 42" | Win64 | | | 4.5, 3 | | | | | | | |
| HP | DesignJet T7100 RGB Contone | | DDD Inkjet | 42" | Win64 | | | 4.5, 3 | | | | | | | |
| HP | DesignJet T2100 Photo | | DDD Inkjet | 24" / 44" | Mac/Win64 | | 3.0, 3 | 3.0, 3 | | | | | | | |
| HP | DesignJet T2100 Photo Halftone | | DDD Inkjet | 24" / 44" | Mac/Win64 | | 3.1, 6 | 3.1, 6 | | | | | | | |
| HP | DesignJet T3100 Photo | | DDD Inkjet | 24" / 44" | Mac/Win64 | | 3.0, 3 | 3.0, 3 | | | | | | | |
| HP | DesignJet T3100ps | | DDD Inkjet | 24" / 44" | Mac/Win64 | | 3.1, 2 | 3.1, 2 | | | | | | | |
| HP | DesignJet T3200/2320ps Halftone | | DDD Inkjet | 24" / 44" | Mac/Win64 | | 4.0 | 4.0 | | | | | | | |
| HP | DesignJet T3200 | | DDD Inkjet | 44" | Mac/Win64 | | | 4.1, 2 | | | | | | | |
| HP | DesignJet T5400 | | DDD Inkjet | 44" | Mac/Win64 | | | 5.2 | | | | | | | |
| HP | DesignJet T6100/26100ps | | DDD Inkjet | 42" / 60" | Mac/Win64 | | | 3.1, 2 | | | | | | | |
| HP | DesignJet T6100/26100ps Halftone | | DDD Inkjet | 42" / 60" | Mac/Win64 | | | 3.1, 6 | | | | | | | |
| HP | DesignJet T6200 CMYK Contone | | DDD Inkjet | 42" / 60" | Mac/Win64 | | | 4.5 | | | | | | | |
| HP | DesignJet T6200 RGB Contone | | DDD Inkjet | 42" / 60" | Mac/Win64 | | | 4.5, 3 | | | | | | | |
| HP | DesignJet T6600 CMYK Contone | | DDD Inkjet | 60" | Mac/Win64 | | | 6.0, 1 | | | | | | | Without support of the internal densitometer |
| HP | DesignJet T6600 RGB Contone | | DDD Inkjet | 60" | Mac/Win64 | | | 6.0, 1 | | | | | | | Without support of the internal densitometer |
| HP | DesignJet T6800 CMYK Contone | | DDD Inkjet | 60" | Mac/Win64 | | | 6.0, 1 | | | | | | | Incl. support of the internal spectrophotometer |
| HP | DesignJet T6800 RGB Contone | | DDD Inkjet | 60" | Mac/Win64 | | | 6.0, 1 | | | | | | | Incl. support of the internal spectrophotometer |
| HP | F8500 | | DDD Inkjet | 64" | Mac/Win64 | | | 5.2 | | | | | | | |
| HP | F86100 | | DDD Inkjet | 126.0" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | F86300 | | DDD Inkjet | 98.4" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | F86700 | | DDD Inkjet | 61.0" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | F8700 | | DDD Inkjet | 98" | Mac/Win64 | | | 5.2 | | | | | | | |
| HP | GrandJet 3.2m | | DDD Inkjet | 126.0" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | GrandJet 5m | | DDD Inkjet | 196.9" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | LaserJet 9500hdn PostScript | | Laser | A3 | Mac/Win64 | 4.0, 1 | | | | | | | | | |
| HP | Latax 240 | | DDD Inkjet | 65" | Win64 | | | 5.1 | | | | | | | |
| HP | Latax 280 | | DDD Inkjet | 104" | Win64 | | | 5.0 | | | | | | | |
| HP | Latax 310 | | DDD Inkjet | 54" | Win64 | | | 6.1 | | | | | | | |
| HP | Latax 330 | | DDD Inkjet | 64" | Win64 | | | 6.1 | | | | | | | |
| HP | Latax 360 | | DDD Inkjet | 64" | Win64 | | | 6.1 | | | | | | | |
| HP | Latax 600 | | DDD Inkjet | 104.0" | Mac/Win64 | | | 5.1 | | | | | | | |
| HP | Latax 820 | | DDD Inkjet | 126.0" | Mac/Win64 | | | 5.1 | | | | | | | |
| HP | Latax 850 | | DDD Inkjet | 126.0" | Mac/Win64 | | | 5.1 | | | | | | | |
| HP | Latax 2000 | | DDD Inkjet | 126.0" | Mac/Win64 | | | 6.0, 1 | | | | | | | |
| HP | LX600 | | DDD Inkjet | 104.0" | Mac/Win64 | | | 5.0 | | | | | | | CMYK |
| HP | LX610 | | DDD Inkjet | 104.0" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | LX630 | | DDD Inkjet | 126.0" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | LX650 | | DDD Inkjet | 126.0" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | T18300 | | DDD Inkjet | 64.2" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | T18550 | | DDD Inkjet | 64.2" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | T18500 | | DDD Inkjet | 64.2" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | T18550 | | DDD Inkjet | 64.2" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | T18800 | | DDD Inkjet | 64.1" | Mac/Win64 | | | 5.2 | | | | | | | |
| HP | TURBOJet Solvent | | DDD Inkjet | 64.2" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | TURBOJet UV | | DDD Inkjet | 64.2" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | VeeJet | | DDD Inkjet | 98.4" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | XL1500 3.2m | | DDD Inkjet | 86.6" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | XL1500 3.2m | | DDD Inkjet | 126.0" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | XL1500 5m | | DDD Inkjet | 196.9" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | XL16 2.2m | | DDD Inkjet | 86.6" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | XL16 3.2m | | DDD Inkjet | 126.0" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | XL16t 5m | | DDD Inkjet | 196.9" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | XP2100 | | DDD Inkjet | 126.0" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | XP2300 | | DDD Inkjet | 126.0" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | XP2500 | | DDD Inkjet | 126.0" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | XP2700 | | DDD Inkjet | 126.0" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | XP2700 | | DDD Inkjet | 126.0" | Mac/Win64 | | | 6.0, 1 | | | | | | | CMYK, CMYKcm |
| HP | XP5100 | | DDD Inkjet | 196.9" | Mac/Win64 | | | 5.0 | | | | | | | |
| HP | XP5300 | | DDD Inkjet | 196.9" | Mac/Win64 | | | 5. | | | | | | | |

Fiery XF 6.2.2 - Supported Printers

| Manufacturer | Printer | PDF Integration Support | Technology | Max. Print Width | Fiery XF Server Support | Printer Option M | Printer Option XL | Printer Option XXL | Print & Cut | Printer Option EFI | Printer Option Wide Format | Printer Option Super Wide Format | Printer Option OKI | Printer Option KIP | Notes |
|--------------|---------------------------|-------------------------|------------|------------------|-------------------------|------------------|-------------------|--------------------|-------------|--------------------|----------------------------|----------------------------------|--------------------|--------------------|---|
| Mutoh | Rockhopper III 65 Extreme | | DDO Inkjet | 65" | Maz/Win64 | | | 3.1.8 | | | | | | | |
| Mutoh | Rockhopper III 90 | | DDO Inkjet | 90" | Maz/Win64 | | | 3.0.3 | | | | | | | |
| Mutoh | Rockhopper III 90 Extreme | | DDO Inkjet | 90" | Maz/Win64 | | | 3.1.8 | | | | | | | |
| Mutoh | SpitFire 100 Extreme | | DDO Inkjet | 102" | Maz/Win64 | | | 3.0.3 | | | | | | | |
| Mutoh | SpitFire 65 Extreme | | DDO Inkjet | 65" | Maz/Win64 | | | 3.0.3 | | | | | | | |
| Mutoh | SpitFire 90 Extreme | | DDO Inkjet | 90" | Maz/Win64 | | | 3.0.3 | | | | | | | |
| Mutoh | ValueJet 426UF rev C | | DDO Inkjet | 19" | Maz/Win64 | | 6.1.1 | | | | | | | | |
| Mutoh | ValueJet 628 | | DDO Inkjet | 24.8" | Maz/Win64 | | | | | | | | | | |
| Mutoh | ValueJet 1204 | | DDO Inkjet | 48" | Maz/Win64 | | | 3.1.8 | | | | | | | |
| Mutoh | ValueJet 1304 | | DDO Inkjet | 54" | Maz/Win64 | | | 4.5.6 | | | | | | | |
| Mutoh | ValueJet 1304W/WU | | DDO Inkjet | 54" | Maz/Win64 | | | 5.2 | | | | | | | |
| Mutoh | ValueJet 1324 | | DDO Inkjet | 54" | Maz/Win64 | | | 4.5.3 | | | | | | | No measurement device support |
| Mutoh | ValueJet 1504 | | DDO Inkjet | 64" | Maz/Win64 | | | 3.1.8 | | | | | | | |
| Mutoh | ValueJet 1604W | | DDO Inkjet | 64" | Maz/Win64 | | | 3.1.8 | | | | | | | |
| Mutoh | ValueJet 1608 HA | | DDO Inkjet | 64" | Maz/Win64 | | | 4.1.1 | | | | | | | |
| Mutoh | ValueJet 1614 | | DDO Inkjet | 64" | Maz/Win64 | | | 3.1.8 | | | | | | | |
| Mutoh | ValueJet 1617H | | DDO Inkjet | 64" | Maz/Win64 | | | 5.1 | | | | | | | |
| Mutoh | ValueJet 1618 rev. B | | DDO Inkjet | 64" | Maz/Win64 | | | 4.1.1 | | | | | | | |
| Mutoh | ValueJet 1624 | | DDO Inkjet | 64" | Maz/Win64 | | | 4.5.3 | | | | | | | No measurement device support |
| Mutoh | ValueJet 1624HF | | DDO Inkjet | 64" | Maz/Win64 | | | 5.2 | | | | | | | |
| Mutoh | ValueJet 1625UH rev B | | DDO Inkjet | 64" | Maz/Win64 | | | 6.1.1 | | | | | | | |
| Mutoh | ValueJet 1628FD | | DDO Inkjet | 64" | Maz/Win64 | | | 4.5.3 | | | | | | | |
| Mutoh | ValueJet 1638 (EMEA) | | DDO Inkjet | 64" | Maz/Win64 | | | 4.5.6 | | | | | | | Mutoh Eco Solvent ULTRA Ink |
| Mutoh | ValueJet 1638 (US) | | DDO Inkjet | 64" | Maz/Win64 | | | 4.5.6 | | | | | | | Mutoh Eco Solvent ULTRA Ink |
| Mutoh | ValueJet 1638W (EMEA) | | DDO Inkjet | 64" | Maz/Win64 | | | 4.5.6 | | | | | | | Mutoh Water Based Pigmented Ink |
| Mutoh | ValueJet 1638W (US) | | DDO Inkjet | 64" | Maz/Win64 | | | 4.5.6 | | | | | | | Mutoh Water Based Pigmented Ink |
| Mutoh | Mutoh ValueJet 1638WX | | DDO Inkjet | 64" | Maz/Win64 | | | 6.0.1 | | | | | | | |
| Mutoh | Mutoh ValueJet 1638X | | DDO Inkjet | 64" | Maz/Win64 | | | 6.0.1 | | | | | | | |
| Mutoh | ValueJet 2606 | | DDO Inkjet | 102.4" | Maz/Win64 | | | 3.1.8 | | | | | | | |
| Mutoh | ValueJet 2628FD | | DDO Inkjet | 104" | Maz/Win64 | | | 4.5.3 | | | | | | | |
| Mutoh | ValueJet 2638 | | DDO Inkjet | 104" | Maz/Win64 | | | 5.2 | | | | | | | |
| NUR | Expedito 3200 | | DDO Inkjet | 126.0" | Maz/Win64 | | | | | | | 5.0 | | | |
| NUR | Expedito 5000 | | DDO Inkjet | 196.9" | Maz/Win64 | | | | | | | 5.0 | | | |
| NUR | Expedito Inspiration | | DDO Inkjet | 126.0" | Maz/Win64 | | | | | | | 5.0 | | | |
| NUR | Expedito Revolution | | DDO Inkjet | 196.9" | Maz/Win64 | | | | | | | 5.0 | | | |
| NUR | Fresco | | DDO Inkjet | 126.0" | Maz/Win64 | | | | | | | 5.0 | | | |
| NUR | Fresco III | | DDO Inkjet | 126.0" | Maz/Win64 | | | | | | | 5.0 | | | |
| NUR | Solo | | DDO Inkjet | 196.9" | Maz/Win64 | | | | | | | 5.0 | | | |
| NUR | Tempo | | DDO Inkjet | 126.0" | Maz/Win64 | | | | | | | 5.0 | | | |
| NUR | Tempo L | | DDO Inkjet | 126.0" | Maz/Win64 | | | | | | | 5.0 | | | |
| NUR | Tempo Q | | DDO Inkjet | 126.0" | Maz/Win64 | | | | | | | 5.0 | | | |
| NUR | Ultima HQ | | DDO Inkjet | 126.0" | Maz/Win64 | | | | | | | 5.0 | | | |
| OKI | Arizona 200 GT | | DDO Inkjet | 98.8" | Maz/Win64 | | | | | | | 5.0 | | | |
| OKI | Arizona 250 GT | | DDO Inkjet | 98.8" | Maz/Win64 | | | | | | | 5.0 | | | |
| OKI | Arizona 300 GT | | DDO Inkjet | 98.8" | Maz/Win64 | | | | | | | 5.0 | | | |
| OKI | Arizona 318 GL | | DDO Inkjet | 98.8" | Maz/Win64 | | | | | | | 5.2 | | | |
| OKI | Arizona 350 GT | | DDO Inkjet | 98.8" | Maz/Win64 | | | | | | | 5.2 | | | |
| OKI | Arizona 350 XT | | DDO Inkjet | 98.8" | Maz/Win64 | | | | | | | 5.2 | | | |
| OKI | Arizona 360 GT | | DDO Inkjet | 98.8" | Maz/Win64 | | | | | | | 5.2 | | | |
| OKI | Arizona 360 XT | | DDO Inkjet | 98.8" | Maz/Win64 | | | | | | | 5.2 | | | |
| OKI | Arizona 440 GT | | DDO Inkjet | 98.8" | Maz/Win64 | | | | | | | 6.0.1 | | | CMYK |
| OKI | Arizona 440 XT | | DDO Inkjet | 98.8" | Maz/Win64 | | | | | | | 6.0.1 | | | CMYK |
| OKI | Arizona 460 GT | | DDO Inkjet | 98.8" | Maz/Win64 | | | | | | | 6.0.1 | | | CMYK+White+Varnish |
| OKI | Arizona 460 XT | | DDO Inkjet | 98.8" | Maz/Win64 | | | | | | | 6.0.1 | | | CMYK+White+Varnish |
| OKI | Arizona 480 GT | | DDO Inkjet | 98.8" | Maz/Win64 | | | | | | | 6.0.1 | | | CMYK+White+Varnish |
| OKI | Arizona 480 XT | | DDO Inkjet | 98.8" | Maz/Win64 | | | | | | | 6.0.1 | | | CMYK+White+Varnish |
| OKI | Arizona 550 GT | | DDO Inkjet | 98.8" | Maz/Win64 | | | | | | | 5.2 | | | |
| OKI | Arizona 550 XT | | DDO Inkjet | 98.8" | Maz/Win64 | | | | | | | 5.2 | | | |
| OKI | Arizona 640 GT | | DDO Inkjet | 98.8" | Maz/Win64 | | | | | | | 6.0.1 | | | CMYK |
| OKI | Arizona 640 XT | | DDO Inkjet | 98.8" | Maz/Win64 | | | | | | | 6.0.1 | | | CMYK |
| OKI | Arizona 660 XT | | DDO Inkjet | 98.8" | Maz/Win64 | | | | | | | 6.0.1 | | | CMYK |
| OKI | C711WT | | LED | A4 | Maz/Win64 | | | | | | | | | | 4.5.8 |
| OKI | C841 | | LED | A3+ | Maz/Win64 | 4.5.8 | | | | | | | | | Enabled by either Printer Option M or OKI |
| OKI | C910 (1-Bit & Multilevel) | | LED | A3+ | Maz/Win64 | | | | | | | | | | 4.1 |
| OKI | C920WT | | LED | A3+ | Maz/Win64 | | | | | | | | | | 4.5.8 |
| OKI | C931 | | LED | A3+ | Maz/Win64 | | | | | | | | | | 5.2 |
| OKI | C941 | | LED | A3+ | Maz/Win64 | | | | | | | | | | 5.2 |
| OKI | C942 | | LED | A3+ | Maz/Win64 | | | | | | | | | | 6.2.2 |
| OKI | C950 | | LED | A3+ | Maz/Win64 | 2.5 | | | | | | | | | 3.1.2 |
| OKI | C960 (1-Bit & Multilevel) | | LED | A3+ | Maz/Win64 | | | | | | | | | | 3.1.2 |
| OKI | C960 (1-Bit) | | LED | A3+ | Maz/Win64 | 2.5.5 | | | | | | | | | 3.1.2 |
| OKI | C960 (1-Bit & Multilevel) | | LED | A3+ | Maz/Win64 | | | | | | | | | | 4.0.1 |
| OKI | C960 (1-Bit & Multilevel) | | LED | A3+ | Maz/Win64 | | | | | | | | | | 4.5.1 |
| OKI | C960 (1-Bit & Multilevel) | | LED | A3+ | Maz/Win64 | | | | | | | | | | 3.1.6 |
| OKI | ES7411WT | | LED | A4 | Maz/Win64 | | | | | | | | | | 4.5.8 |
| OKI | ES841 | | LED | A3+ | Maz/Win64 | 4.5.8 | | | | | | | | | 4.5.8 |
| OKI | ES9410B (Multilevel) | | LED | A3+ | Maz/Win64 | | | | | | | | | | 4.1 |
| OKI | ES9420WT | | LED | A3+ | Maz/Win64 | | | | | | | | | | 4.5.8 |
| OKI | ES9431 | | LED | A3+ | Maz/Win64 | | | | | | | | | | 5.2 |
| OKI | ES954 | | LED | A3+ | Maz/Win64 | | | | | | | | | | 5.2 |
| OKI | ES9542 | | LED | A3+ | Maz/Win64 | | | | | | | | | | 6.2.2 |
| Ricoh | L4130 | | DDO Inkjet | 53.7" | Win (64 bit) | | | | | | | | | | |
| Ricoh | L4160 | | DDO Inkjet | 63.7" | Win (64 bit) | | | | | | | | | | 6.1 |
| Roland DG | AdvancedJet AJ-1000 | | DDO Inkjet | 102" | Maz/Win64 | | | | | | | | | | 5.1 |
| Roland DG | AdvancedJet AJ-1000 | | DDO Inkjet | 102" | Maz/Win64 | | | | | | | | | | 5.1 |
| Roland DG | AdvancedJet AJ-740 | | DDO Inkjet | 74" | Maz/Win64 | | | | | | | | | | 5.1 |
| Roland DG | AdvancedJet AJ-740 | | DDO Inkjet | 74" | Maz/Win64 | | | | | | | | | | 5.1 |
| Roland DG | Cammett CJ-540 | | DDO Inkjet | 54" | Maz/Win64 | | | | | | | | | | 4.5 |
| Roland DG | Hi-Fi Express FP-740 | | DDO Inkjet | 74" | Maz/Win64 | | | | | | | | | | 4.5 |
| Roland DG | Hi-Fi Jet FJ-740 | | DDO Inkjet | 74" | Maz/Win64 | | | | | | | | | | 5.1 |
| Roland DG | Hi-Fi Jet FJ 480 | | DDO Inkjet | 48" | Maz/Win64 | | | | | | | | | | 2.5 |
| Roland DG | Hi-Fi Jet FJ 500 | | DDO Inkjet | 54" | Maz/Win64 | | | | | | | | | | 2.5 |
| Roland DG | Hi-Fi Jet FJ 540 | | DDO Inkjet | 64" | Maz/Win64 | | | | | | | | | | 2.5 |
| Roland DG | Hi-Fi Jet FJ 600 | | DDO Inkjet | 60" | Maz/Win64 | | | | | | | | | | 2.5 |
| Roland DG | Soljet Pro 4 XE-640 | | DDO Inkjet | 64" | Maz/Win64 | | | | | | | | | | 5.1 |
| Roland DG | Soljet Pro 4 XE-640 | | DDO Inkjet | 64" | Maz/Win64 | | | | | | | | | | 5.1 |
| Roland DG | Soljet Pro II SC-540 | | DDO Inkjet | 54" | Maz/Win64 | | | | | | | | | | 2.5 |
| Roland DG | Soljet Pro II SC-1000 | | DDO Inkjet | 102" | Maz/Win64 | | | | | | | | | | 5.1 |
| Roland DG | Soljet Pro II SC-540 | | DDO Inkjet | 54" | Maz/Win64 | | | | | | | | | | 2.5 |
| Roland DG | Soljet Pro II S1-740 | | DDO Inkjet | 74" | Maz/Win64 | | | | | | | | | | 2.5 |
| Roland DG | Soljet Pro II V SC-540 | | DDO Inkjet | 54" | Maz/Win64 | | | | | | | | | | 5.1 |
| Roland DG | Soljet Pro II V SC-540 | | DDO Inkjet | 54" | Maz/Win64 | | | | | | | | | | 5.1 |
| Roland DG | Soljet Pro II V S1-1045EX | | DDO Inkjet | 104.5" | Maz/Win64 | | | | | | | | | | |